

---

# A Unified View of Loss Functions in Supervised Learning

---

**Shuiwang Ji**  
Texas A&M University  
College Station, TX 77843  
sjj@tamu.edu

**Lei Cai**  
Washington State University  
Pullman, WA 99164  
lei.cai@wsu.edu

**Hao Yuan**  
Texas A&M University  
College Station, TX 77843  
hao.yuan@tamu.edu

## 1 Introduction

This note aims at providing an introduction of different loss functions for supervised learning and shedding light on their differences and similarities. This document is based on lecture notes by Shuiwang Ji at Texas A&M University and can be used for undergraduate and graduate level classes.

## 2 Linear Classifier

For a binary classification problem, we are given an input dataset  $X = [x_1, x_2, \dots, x_n]$  with the corresponding label  $Y = [y_1, y_2, \dots, y_n]$ , where  $x_i \in \mathbb{R}^d$  and  $y_i \in \{+1, -1\}$ . For a given sample  $x_i$ , a linear classifier computes the linear score  $s_i$  as a weighted summation of all features as:

$$s_i = w^T x_i + b, \quad (1)$$

where  $w$  is the weights and  $b$  is the bias. We can predict the label of  $x_i$  based on the linear score  $s_i$ . By employing an appropriate loss function, we can train and obtain a linear classifier. In the note, we describe and compare a variety of loss functions used in supervised learning, including zero-one loss, perceptron loss, hinge loss, log loss (also known as logistic regression loss or cross entropy loss), exponential loss, and square loss. We describe these loss functions in the context of linear classifiers, but they can also be used for nonlinear classifiers. We illustrate all loss functions in Figures 1 and 2 for ease of comparison.

## 3 Zero-one Loss

The zero-one loss aims at measuring the number of prediction errors for classifier. For a given input  $x_i$ , the classifier makes a correct prediction if  $y_i s_i > 0$ . Otherwise, it makes a wrong prediction. Therefore, the zero-one loss function can be described as follows:

$$\frac{1}{n} \sum_{i=1}^n L_{0/1}(y_i, s_i), \quad (2)$$

where  $L_{0/1}$  is the zero-one loss defined as

$$L_{0/1}(y_i, s_i) = \begin{cases} 1 & \text{if } y_i s_i < 0, \\ 0 & \text{otherwise.} \end{cases} \quad (3)$$

## 4 Perceptron Loss

The zero-one loss incurs the same loss value of 1 for all wrong predictions, no matter how far a wrong prediction is from the hyperplane. The perceptron loss addresses this by penalizing each

wrong prediction by the extent of violation. The perceptron loss function is defined as

$$\frac{1}{n} \sum_{i=1}^n L_p(y_i, s_i), \quad (4)$$

where  $L_p$  is perceptron loss which can be described as

$$L_p(y_i, s_i) = \max(0, -y_i s_i). \quad (5)$$

Note that the loss is 0 when the input example is correctly classified. The loss is proportional to a quantification of the extent of violation ( $-y_i s_i$ ) when the input example is incorrectly classified.

## 5 Square Loss

The square loss function is commonly used for regression problems and can also be used for binary classification problems as

$$\frac{1}{n} \sum_{i=1}^n L_s(y_i, s_i), \quad (6)$$

where  $L_s$  is the square loss, defined as

$$L_s(y_i, s_i) = (1 - y_i s_i)^2. \quad (7)$$

Note that the square loss tends to penalize wrong predictions excessively. In addition, when the value of  $y_i s_i$  is large and the classifier is making correct predictions, the square loss incurs a large loss value.

## 6 Log Loss

Logistic regression employs the log loss to train classifiers. The loss function used in logistic regression can be expressed as

$$\frac{1}{n} \sum_{i=1}^n L_{\log}(y_i, s_i), \quad (8)$$

where  $L_{\log}$  is the log loss, defined as

$$L_{\log}(y_i, s_i) = \log(1 + e^{-y_i s_i}). \quad (9)$$

## 7 Hinge Loss

The support vector machines employ hinge loss to obtain a classifier with “maximum-margin”. The loss function in support vector machines is defined as follows:

$$\frac{1}{n} \sum_{i=1}^n L_h(y_i, s_i), \quad (10)$$

where  $L_h$  is the hinge loss:

$$L_h(y_i, s_i) = \max(0, 1 - y_i s_i). \quad (11)$$

Different with the zero-one loss and perceptron loss, a data may be penalized even if it is predicted correctly.

## 8 Exponential Loss

The log term in the log loss encourages the loss to grow slowly for negative values, making it less sensitive to wrong predictions. There is a more aggressive loss function, known as the exponential loss, which grows exponentially for negative values and is thus very sensitive to wrong predictions. The AdaBoost algorithm employs the exponential loss to train the models. The exponential loss function can be expressed as

$$\frac{1}{n} \sum_{i=1}^n L_{\exp}(y_i, s_i), \quad (12)$$

where  $L_{\exp}$  is the exponential loss, defined as

$$L_{\exp}(y_i, s_i) = e^{-y_i s_i}. \quad (13)$$




Figure 1: Graphical illustrations of different loss functions.

## 9 Convexity

Mathematically, a function  $f(\cdot)$  is convex if

$$f(tx_1 + (1-t)x_2) \leq tf(x_1) + (1-t)f(x_2), \text{ for } t \in [0, 1].$$

A function  $f(\cdot)$  is strictly convex if

$$f(tx_1 + (1-t)x_2) < tf(x_1) + (1-t)f(x_2), \text{ for } t \in (0, 1), x_1 \neq x_2.$$

Intuitively, a function is convex if the line segment between any two points on the function is not below the function. A function is strictly convex if the line segment between any two distinct points on the function is strictly above the function, except for the two points on the function itself.

## 10 Comparison of Loss Functions

In order to compare the differences and similarities among different loss functions, we show the different loss functions in Figures 1 and 2. In the zero-one loss, if a data sample is predicted correctly




Figure 2: Comparison of different loss functions in a unified view.

( $y_i s_i > 0$ ), it results in zero penalties; otherwise, there is a penalty of one. For any data sample that is not predicted correctly, it receives the same loss. For the perceptron loss, the penalty for each wrong prediction is proportional to the extent of violation. For other losses, a data sample can still incur penalty even if it is classified correctly. The log loss is similar to the hinge loss but it is a smooth function which can be optimized with the gradient descent method. While log loss grows slowly for negative values, exponential loss and square loss are more aggressive. Note that, in all of these loss functions, square loss will penalize correct predictions severely when the value of  $y_i s_i$  is large. In addition, zero-one loss is not convex while the other loss functions are convex. Note that the hinge loss and perceptron loss are not strictly convex.

### Acknowledgements

This work was supported in part by National Science Foundation grants IIS-1908220, IIS-1908198, IIS-1908166, DBI-1147134, DBI-1922969, DBI-1661289, CHE-1738305, National Institutes of Health grant 1R21NS102828, and Defense Advanced Research Projects Agency grant N66001-17-2-4031.