

Chapter 5: Matrices

5.1 Introduction to Matrices

A matrix is a compact way of organizing and displaying data.

A matrix is often denoted by a capital letter M or A .

A matrix having m rows and n columns is an $m \times n$ matrix

$$M_1 = \begin{bmatrix} 1 \\ -1 \\ 2 \end{bmatrix} \text{ is a } 3 \times 1 \text{ matrix}$$

$$M_2 = [1 \quad -1 \quad 2] \text{ is a } 1 \times 3 \text{ matrix}$$

These two matrices are NOT EQUAL.

A matrix is called square if it has the same number of rows and columns.

$$A = \begin{bmatrix} 1 & 2 \\ 3 & 4 \end{bmatrix} \text{ is a } 2 \times 2 \text{ square matrix.}$$

$$\begin{array}{ll} a_{11} = 1 & a_{12} = 2 \\ a_{21} = 3 & a_{22} = 4 \end{array}$$

a_{ij} is the element in the i^{th} row and j^{th} column of matrix A .

Example - There are three stores. In the first week store I sold 88 loaves of bread, 48 quarts of milk, 16 jars of peanut butter and 112 pounds of cold cuts. At the same time, store II sold 105 loaves of bread, 72 quarts of milk, 21 jars of peanut butter and 147 pounds of cold cuts. Store III sold 60 loaves of bread, 40 quarts of milk, 0 jars of peanut butter and 50 pounds of cold cuts.

Organize this data in a 3x4 matrix.

$$\begin{array}{c}
 \text{Store I} \\
 \text{Store II} \\
 \text{Store III}
 \end{array}
 \begin{array}{c}
 \text{Br} \\
 \text{Milk} \\
 \text{PB} \\
 \text{C C}
 \end{array}
 \begin{bmatrix}
 88 & 48 & 16 & 112 \\
 105 & 72 & 21 & 147 \\
 60 & 40 & 0 & 50
 \end{bmatrix}$$

Equality - two matrices are equal if and only if each pair of corresponding elements are equal.

EXAMPLE Find the values of a, b, c, d given

$$\begin{bmatrix} 1 & b \\ 3 & 0 \end{bmatrix} = \begin{bmatrix} a & -1 \\ c & d \end{bmatrix}$$

$$a = 1 \quad b = -1$$

$$c = 3 \quad d = 0$$

Addition - two matrices are added by adding the pairs of elements in each location.

$$[A] + [B]$$

EXAMPLE find $A+B$ where $A = \begin{bmatrix} 2 & -3 \\ 0 & 5 \\ 0.25 & 6 \end{bmatrix}$ and $B = \begin{bmatrix} -0.25 & 7 \\ -3 & 1.5 \\ 9 & 2 \end{bmatrix}$

$$A+B = \begin{bmatrix} 2-0.25 & -3+7 \\ 0-3 & 5+1.5 \\ 0.25+9 & 6+2 \end{bmatrix} = \begin{bmatrix} 1.75 & 4 \\ -3 & 6.5 \\ 9.25 & 8 \end{bmatrix}$$

Transpose - The transpose of a matrix is found by switching the rows and columns of the matrix.

If A is a 3×2 matrix then A^T will be a 2×3 matrix.

$$A = \begin{bmatrix} a_{11} & a_{12} \\ a_{21} & a_{22} \\ a_{31} & a_{32} \end{bmatrix} = \begin{bmatrix} 2 & -3 \\ 0 & 5 \\ 0.25 & 6 \end{bmatrix}$$

3×2

$$A^T = \begin{bmatrix} 2 & 0 & .25 \\ -3 & 5 & 6 \end{bmatrix}$$

2×3

6 is a scalar
 $[6]$ is a 1×1 matrix

A scalar is a number (NOT a matrix). **Multiply a matrix by a scalar** by multiplying every element in the matrix by the scalar.

EXAMPLE Find $-2A$.

$$-2A = 2 \begin{bmatrix} 2 & -3 \\ 0 & 5 \\ 0.25 & 6 \end{bmatrix} = \begin{bmatrix} 2 \times 2 & 2 \times -3 \\ 2 \times 0 & 2 \times 5 \\ 2 \times .25 & 2 \times 6 \end{bmatrix} = \begin{bmatrix} 4 & -6 \\ 0 & 10 \\ 1.5 & 12 \end{bmatrix}$$

5.2 Matrices Multiplication

Example

A flower shop sells 96 roses, 250 carnations and 130 daisies in a week. The roses sell for \$2 each, the carnations for \$1 each and the daisies for \$0.50 each. Find the revenue of the shop during the week.

$$R = 96 \times 2 + 250 \times 1 + 130 \times .5 = \$507$$

Express the number of flowers in a 1×3 matrix:

$$A = \# \begin{matrix} R & C & D \\ \hline 96 & 250 & 130 \end{matrix}$$

Next express the price as a 3×1 matrix:

$$B = \begin{matrix} \$ \\ R \\ C \\ D \end{matrix} \begin{bmatrix} 2 \\ 1 \\ .5 \end{bmatrix}$$

$$AB = \# \begin{matrix} R & C & D \\ \hline 96 & 250 & 130 \end{matrix} \begin{matrix} \$ \\ R \\ C \\ D \end{matrix} \begin{bmatrix} 2 \\ 1 \\ .5 \end{bmatrix} \\ = [96 \times 2 + 250 \times 1 + 130 \times .5] = [507]$$

This is the total
Revenue from
selling flowers

In general, if A is $1 \times n$ and B is $n \times 1$, the product AB is a 1×1 matrix:

$$A \cdot B = [a_{11} \quad a_{12} \quad \dots \quad a_{1n}] \cdot \begin{bmatrix} b_{11} \\ b_{12} \\ \vdots \\ b_{n1} \end{bmatrix} = [a_{11} \cdot b_{11} + a_{12} \cdot b_{21} + \dots + a_{1n} \cdot b_{n1}]$$

If A is an $m \times n$ matrix and B is a $n \times p$ matrix, then the product matrix $A \cdot B = C$ is an $m \times p$ matrix.

$$A \cdot B = \begin{bmatrix} a_{11} & a_{12} & \dots & a_{1n} \\ a_{21} & a_{22} & \dots & a_{2n} \\ \vdots & \vdots & \ddots & \vdots \\ a_{m1} & a_{m2} & \dots & a_{mn} \end{bmatrix} \cdot \begin{bmatrix} b_{11} & b_{12} & \dots & b_{1p} \\ b_{21} & b_{22} & \dots & b_{2p} \\ \vdots & \vdots & \ddots & \vdots \\ b_{n1} & b_{n2} & \dots & b_{np} \end{bmatrix}$$

$$= \begin{bmatrix} a_{11} \cdot b_{11} + a_{12} \cdot b_{21} + \dots + a_{1n} \cdot b_{n1} & (ab)_{12} & \dots & (ab)_{1p} \\ & (ab)_{21} & \dots & (ab)_{2p} \\ & \vdots & \ddots & \vdots \\ & (ab)_{m1} & \dots & (ab)_{mp} \end{bmatrix}$$

Matrix multiplication is not commutative. In general, $AB \neq BA$

Example

Find the products AB and BA where

$$A = \begin{bmatrix} 1 & 0 \\ -2 & 3 \end{bmatrix} \text{ and } B = \begin{bmatrix} -1 & 2 \\ 0 & -3 \end{bmatrix}$$

$$BA = \begin{bmatrix} -5 & 6 \\ 6 & -9 \end{bmatrix}$$

$$AB = \begin{bmatrix} 1 & 0 \\ -2 & 3 \end{bmatrix} \begin{bmatrix} -1 & 2 \\ 0 & -3 \end{bmatrix} = \begin{bmatrix} 1 \cdot (-1) + 0 \cdot 0 & 1 \cdot 2 + 0 \cdot (-3) \\ -2 \cdot (-1) + 3 \cdot 0 & -2 \cdot 2 + 3 \cdot (-3) \end{bmatrix} = \begin{bmatrix} -1 & 2 \\ 2 & -13 \end{bmatrix}$$

Example - Cost Analysis - The Mundo Candy Company makes three types of chocolate candy: cheery cherry (cc), mucho mocha (mm) and almond delight (ad).

The candy is produced in San Diego (SD), Mexico City (MC) and Managua (Ma) using two main ingredients, sugar (S) and chocolate (C).

Each kilogram of cheery cherry requires 0.5 kg of sugar and 0.2 kg of chocolate.

Each kilogram of mucho mocha requires 0.4 kg of sugar and 0.3 kg of chocolate.

Each kilogram of almond delight requires 0.3 kg of sugar and 0.3 kg of chocolate.

(a) Put this information in a 2x3 matrix.

$$A = \begin{matrix} & \text{cc} & \text{mm} & \text{ad} \\ \text{sug} & (.5) & (.4) & (.3) \\ \text{choc} & (.2) & (.3) & (.3) \end{matrix}$$

(b) The cost of 1 kg of sugar is \$3 in San Diego, \$2 in Mexico City and \$1 in Managua. The cost of 1 kg of chocolate is \$3 in San Diego, \$3 in Mexico City and \$4 in Managua.

Put this information into a matrix in such a way that when it is multiplied by the matrix in part (a) it will tell us the cost of producing each kind of candy in each city.

~~B_1 is a 2x3 matrix~~ and B_2 is a 3x2 matrix

① $B_1 * A = (2 \times 3) * (2 \times 3)$ NOT POSSIBLE

② $A * B_1 = (2 \times 3) * (2 \times 3)$ NOT POSSIBLE

③ $A * B_2 = (2 \times 3) * (3 \times 2) = 2 \times 2$

④ $B_2 * A = (3 \times 2) * (2 \times 3) = 3 \times 3$ yes!

*3 kg of sug in SD * .5 kg of choc for cc
3 kg of choc in SD * .2 kg of sug for cc*

$$\begin{matrix} \text{Cost in SD} \\ \text{Cost in MC} \\ \text{Cost in Ma} \end{matrix} \begin{matrix} \text{S} & \text{C} \\ \begin{pmatrix} 3 & 3 \\ 2 & 3 \\ 1 & 4 \end{pmatrix} \end{matrix} * \begin{matrix} \text{cc} & \text{mm} & \text{ad} \\ \begin{pmatrix} .5 & .4 & .3 \\ .2 & .3 & .3 \end{pmatrix} \end{matrix} = \begin{matrix} \text{SD} \\ \text{MC} \\ \text{Ma} \end{matrix} \begin{matrix} \text{cc} & \text{mm} & \text{ad} \\ \begin{pmatrix} 2.1 & - & - \\ - & - & - \\ - & - & - \end{pmatrix} \end{matrix}$$

One special matrix is called the identity matrix, I .

It is a square matrix with 1's on the diagonal and zeros elsewhere,

$$I = \begin{bmatrix} 1 & 0 & \dots & 0 \\ 0 & 1 & \dots & 0 \\ \vdots & \vdots & \ddots & \vdots \\ 0 & 0 & \dots & 1 \end{bmatrix}$$

I_2 is a 2×2 identity matrix and I_n is an $n \times n$ identity matrix.

The identity matrix has the following property

$$AI = A = IA$$

Matrix multiplication and linear equations:

Example

Write the following system of linear equations as a matrix equation

$$\begin{aligned} 2x - 3y &= 6 \quad \checkmark \\ -x + 2y &= 4 \quad \checkmark \end{aligned}$$

$$A = \begin{bmatrix} 2 & -3 \\ -1 & 2 \end{bmatrix} \quad X = \begin{bmatrix} x \\ y \end{bmatrix} \quad B = \begin{bmatrix} 6 \\ 4 \end{bmatrix}$$

Answer

$$\begin{bmatrix} 2 & -3 \\ -1 & 2 \end{bmatrix} \begin{bmatrix} x \\ y \end{bmatrix} = \begin{bmatrix} 6 \\ 4 \end{bmatrix}$$

$$\begin{bmatrix} 2x & -3y \\ -x & +2y \end{bmatrix} = \begin{bmatrix} 6 \\ 4 \end{bmatrix}$$

$$AX = B$$

$$X = ?$$

$$\begin{aligned} ax &= b \\ x &= \frac{b}{a} \end{aligned}$$

5.3 Inverse of a Square Matrix

$$\frac{1}{2} = 2 \overline{)1.0} \quad \left\| \quad 2 * \frac{1}{2} = 2 * 2^{-1} = 1 \right.$$

For any non-zero real number r , the reciprocal (or inverse) is $\frac{1}{r}$ or r^{-1}

Multiplicative identity: $r * r^{-1} = 1$ except zero

For matrices, the inverse is A^{-1} and it is defined by

$$AA^{-1} = I = A^{-1}A$$

A matrix with no inverse is called singular. ★

If needed, find the inverse with the x^{-1} function on the calculator.

The one use of matrix inverses is to solve matrix equations.

~~AXA=I~~ No

Solve the matrix equation $AX = B$ for X

$$\begin{aligned} AX &= B \\ A^{-1}AX &= A^{-1}B \\ IX &= A^{-1}B \\ X &= A^{-1}B \end{aligned}$$

I is identity matrix

$$\begin{bmatrix} 1 & 0 & \dots & 0 \\ 0 & 1 & & \vdots \\ \vdots & \vdots & & 0 \\ 0 & & & 1 \end{bmatrix}$$

$$\begin{aligned} ax &= b & | \text{ is it} \\ \frac{ax}{a} &= \frac{b}{a} & 1 \text{ or } I \text{ or } I \end{aligned}$$

Solve the matrix equation $D = X - AX$ for X .

$$\begin{aligned} D &= X - AX \\ D &= IX - AX \\ D &= (I - A)X \\ (I - A)^{-1}D &= (I - A)^{-1}(I - A)X \\ (I - A)^{-1}D &= IX \\ \boxed{X} &= (I - A)^{-1}D \end{aligned}$$

$$\begin{aligned} d &= x - ax = 1x - ax \\ d &= (1 - a)x \\ x &= \frac{d}{1 - a} \end{aligned}$$

Matrix inverses can be used to encrypt messages. First, assign each letter of the alphabet a number:

1 to A 2 to B 3 to C 4 to D 5 to E 6 to F 7 to G
 8 to H 9 to I 10 to J 11 to K 12 to L 13 to M 14 to N
 15 to O 16 to P 17 to Q 18 to R 19 to S 20 to T 21 to U
 22 to V 23 to W 24 to X 25 to Y 26 to Z 27 to space

So the word aggies would be written 1779519 etc

To make this more difficult to decode, we can put the letters in a message matrix. Our encoding matrix will be 3x3, so our message will need to have 3 rows:

$$M = \begin{bmatrix} 1 & 7 \\ 7 & 9 \\ 5 & 19 \end{bmatrix}$$

And multiply by an encoding matrix $E = \begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \\ 2 & 1 & 4 \end{bmatrix}$

$$EM = \begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \\ 2 & 1 & 4 \end{bmatrix} \begin{bmatrix} 17 \\ 79 \\ 519 \end{bmatrix} = \begin{bmatrix} 30 & 82 \\ 69 & 187 \\ 29 & 99 \end{bmatrix}$$

Send off
30 82 69 187 29 99

Decode the message, $M = E^{-1}(EM) = \underbrace{\begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \\ 2 & 1 & 4 \end{bmatrix}^{-1}}_{\text{sto C}} \begin{bmatrix} 30 & 82 \\ 69 & 187 \\ 29 & 99 \end{bmatrix} = \begin{bmatrix} 1 & 7 \\ 7 & 9 \\ 5 & 19 \end{bmatrix}$

Decode the message below using the encryption matrix E.

35 82 100 143 98 175 259 329 52 95 115 151

5.4 Additional Matrix Applications: Leontief Input-Output Models

Consider the economy of small village that has two industries, farming and weaving.

The villagers find that to produce \$1.00 of food, they need \$0.40 of food and \$0.10 of cloth. To produce \$1.00 of cloth, they need \$0.30 of food and \$0.20 of cloth. The local city is demanding \$7200 worth of food and \$2700 of cloth. How much food and cloth needs to be produced to meet the villager's internal need and have the necessary exports?

$x_1 = \$ \text{amt of food produced}$ $x_2 = \$ \text{amt of cloth produced}$

$$\left. \begin{aligned} x_1 &= \underbrace{0.4x_1}_{\text{food for farmers}} + \underbrace{0.3x_2}_{\text{food for weavers}} + \underbrace{7200}_{\text{external demand for food}} \\ x_2 &= \underbrace{0.1x_1}_{\text{cloth for farmers}} + \underbrace{0.2x_2}_{\text{cloth for weavers}} + \underbrace{2700}_{\text{external demand for cloth}} \end{aligned} \right\} \begin{aligned} x_1 &= .4x_1 + .3x_2 + 7200 \\ x_2 &= .1x_1 + .2x_2 + 2700 \end{aligned}$$

Let $X = \begin{bmatrix} x_1 \\ x_2 \end{bmatrix}$ $A = \begin{bmatrix} .4 & .3 \\ .1 & .2 \end{bmatrix}$ $D = \begin{bmatrix} 7200 \\ 2700 \end{bmatrix} \Rightarrow X = AX + D$

production matrix
Input-Output matrix
Demand matrix [D]

$$IX - AX = D \quad [A]$$

$$(I - A)X = D$$

$$(I - A)^{-1}(I - A)X = (I - A)^{-1}D$$

$$IX = (I - A)^{-1}D$$

$$X = (I - A)^{-1}D$$

$$\begin{bmatrix} x_1 \\ x_2 \end{bmatrix} = (I_2 - [A])^{-1} [D] = \begin{bmatrix} 14600 \\ 5200 \end{bmatrix}$$

Make \$4,600 in food and \$5200 in cloth.

There is \$7400 of food used internally and \$2500 of cloth used internally

↑
↑

14600 - 7200
5200 - 2700

Given the following IO matrix, interpret the meaning of each element and find the amount each sector needs to produce to meet internal and external demand. U is auto industry, E is energy industry and T is transportation industry. The demand is given in thousands of dollars.

$$A = \begin{matrix} & \downarrow U & E & T & \rightarrow [A] \\ \begin{matrix} U \\ E \\ T \end{matrix} & \begin{bmatrix} 0.2 & 0.4 & 0.1 \\ 0.1 & 0.2 & 0.2 \\ 0.2 & 0.2 & 0.1 \end{bmatrix} \end{matrix} \quad D = \begin{matrix} U \\ E \\ T \end{matrix} \begin{bmatrix} 474 \\ 948 \\ 47 \end{bmatrix} \rightarrow [D]$$

To make ^{\$1000} 1 unit of auto requires ^{\$200} 2 units of auto
 and ^{\$100} 1 unit of energy ^{\$200} 2 units of transp

To make 1 unit of energy requires
 4 units of auto
 2 units of energy
 2 units of transp

To make 1 unit of transp requires
 1 unit of auto
 2 units of energy
 1 unit of transp

$$X = (I - A)^{-1} D = (\text{identity } (3) - [A])^{-1} * [D] = \begin{bmatrix} 1455.86, \dots \\ 1546.85, \dots \\ 719.49, \dots \end{bmatrix}$$

\$1,455,865 in Auto, \$1,546,857 in transp, and
 \$719,494 in transp.

Closed Leontief Input-Output Model

In the closed input-output model, we assume that there is no demand from outside the n industries under consideration. Let f_{ij} be the fraction of the total output of the j^{th} industry purchased by the i^{th} industry. The problem then is to find suitable prices for each of the n outputs so that the total expenditure of each industry equals its total income. Any such price structure represents equilibrium for the economy.

Let p_i be the price charged by the i^{th} industry for its total output. For convenience, consider an isolated island with three sectors: farming, building and services. As usual, we allow for the possibility that each industry consumes (and therefore buys) some of its own product.

To produce 1 unit from the farming sector it takes $\frac{1}{2}$ unit of farming, $\frac{1}{3}$ unit of building and $\frac{1}{6}$ unit of services.

To produce 1 unit of building requires $\frac{1}{3}$ unit of farming, $\frac{1}{3}$ unit of building, and $\frac{1}{3}$ unit of services.

To produce 1 unit of services requires $\frac{1}{4}$ unit of farming, $\frac{1}{4}$ unit of building and $\frac{1}{2}$ units of services.

What are the equilibrium prices for these three sectors?

$$A = \begin{matrix} & \begin{matrix} F & B & S \end{matrix} \\ \begin{matrix} F \\ B \\ S \end{matrix} & \begin{pmatrix} \frac{1}{2} & \frac{1}{3} & \frac{1}{4} \\ \frac{1}{3} & \frac{1}{3} & \frac{1}{4} \\ \frac{1}{6} & \frac{1}{3} & \frac{1}{2} \end{pmatrix} \end{matrix} \quad X = \begin{bmatrix} p_1 \\ p_2 \\ p_3 \end{bmatrix} \quad D = \begin{bmatrix} 0 \\ 0 \\ 0 \end{bmatrix}$$

$$(I - A)X = D = 0 \Rightarrow \begin{bmatrix} \frac{1}{2} & -\frac{1}{3} & -\frac{1}{4} \\ -\frac{1}{3} & \frac{2}{3} & -\frac{1}{4} \\ -\frac{1}{6} & -\frac{1}{3} & \frac{1}{2} \end{bmatrix} \begin{bmatrix} p_1 \\ p_2 \\ p_3 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \\ 0 \end{bmatrix}$$

$$\begin{bmatrix} \frac{1}{2} & -\frac{1}{3} & -\frac{1}{4} & 0 \\ -\frac{1}{3} & \frac{2}{3} & -\frac{1}{4} & 0 \\ -\frac{1}{6} & -\frac{1}{3} & \frac{1}{2} & 0 \end{bmatrix} \xrightarrow{\text{ref}} \begin{bmatrix} 1 & 0 & -1.125 & 0 \\ 0 & 1 & -.9375 & 0 \\ 0 & 0 & 0 & 0 \end{bmatrix} \begin{matrix} p_1 - 1.125t = 0 \Rightarrow p_1 = 1.125t \\ p_2 - .9375t = 0 \Rightarrow p_2 = .9375t \\ p_3 = t \end{matrix}$$

Let the price of one unit of service be p_3 . Then one unit of farming costs $1.125p_3$ and the cost for 1 unit of building is $.9375p_3$